ELSEVIER

International Journal of Mass Spectrometry 238 (2004) 299

International Journal of Mass Spectrometry

www.elsevier.com/locate/ijms

Author index Volume 238

Anderle, M., 163
Annis, D.A., 77
Arnould, M.A., 245
Askovic, S., 119
Athanasopoulos, J., 77
Aurigemma, C.M., 85

Baker, E.S., 279, 287
Balaj, O.P., 65
Balteanu, I., 65
Barnes IV, J.H., 33
Bateman, K.P., 99
Beaulieu, M., 173
Becker, C.H., 163
Becklin, R.R., 119
Beyer, M.K., 65
Bi, G., 153
Bolaños, B., 85
Bondybey, V.E., 65
Boniface, J.J., 119
Bowers, M.T., 279, 287
Brock, A., 189
Brubaker, W.F., 139
Bylund, J.M.R., 85

Cantor, C., 173
Chen, S., 131, 197
Chepanoske, C.L., 119
Cherrak, D., 153
Cook, K.D., 207
Cook, K.L., 139
Cummins, L.L., 197
Curran, P.J., 77

Denifl, S., 47
Drader, J.J., 197

Farrell, W., 85
Felsch, J.S., 77
Friedrich, J.F., 235
Fuentes, B.E., 55

Gidden, J., 279, 287
Girard, J.E., 215
Goetzinger, W., 153
Grady, M.C., 279
Greig, M., 85
Gruber, F., 235
Guttman, C.M., 215

Hanel, G., 47
Hanton, S.D., 257
Hayashi, M., 1
Herman, J.L., 107
Hieftje, G.M., 33
Ho, Y.-S.J., 119
Hofstadler, S.A., 75, 197
Honisch, C., 173
Horn, D.M., 189
Huang, R., 131

Jackson, A.T., 265, 287
Johnson, J.D., 207
Jurinke, C., 173
Just, U., 235

Kalghatgi, K., 77
Kery, V., 119
Kim, Y.D., 17
Klock, H., 189
Kosara, C.M., 139
Kyranos, J.N., 153

Lai, S., 119
Lai, Y.-C., 227
Lee, M.S., 75
Lee, W.H., 77
LeRiche, T., 99
Li, H., 85
Lin, H., 163
Lin, S.H., 1
Liu, X.M., 227
Locklear, J.E., 59
Lodenquai, P., 131

Martínez, H., 55
Maziarz, E.P., 227
McKay, D., 99
Meyers, A., 189
Mishima, K., 1
Märk, T.D., 47
Mujtaba, T., 119

Nash, H.M., 77
Nelson, M.R., 173

Oeth, P., 173
Ong, V.S., 139
Orminati, J.-P.A., 77
Owens, K.G., 257

Parees, D.M., 257
Peltier, J.M., 119
Peters, E.C., 189
Pham, C., 85
Phillipson, D., 85
Polce, M.J., 245
Prebyl, B.S., 207
Pyne, M., 119

Qian, M., 131
Quenzer, T.L., 85
Quinn, E., 227
Quirk, R.P., 245

Rechenberg, M., 119
Richardson, B., 119
Rittig, F., 235
Robbins, P.B., 119
Rosner, K.E., 77
Roth, R., 173
Roy, P., 99
Roy, S.M., 163

Sannes-Lowery, K.A., 197
Savage, J., 119
Scheier, P., 47
Schweikert, E.A., 59
Scrivens, J.H., 265, 287
Sheffield, P., 119
Shipps Jr., G.W., 77
Simonsick, W.J., 279
Siu, C.-K., 65
Skorey, K., 99
Slade, S.E., 265
Sonnweber, B., 47

Thaddupathy, G.R.A., 77
Thompson, S., 119
Tivel, K., 85
Towle, M., 153
Tran, P., 85
Tyler, A.N., 77

Van den Boom, D., 173
Ventura, M., 85
Verkhoturov, S.V., 59
Vilenchik, L., 77

Wagner, C.R., 77
Weidner, S.M., 235
Weir, L., 119
Wesdemiotis, C., 245
Wetzel, S.J., 215
Widjaja, K., 119
Williams, J.P., 287
Wintner, E.A., 77
Wittke, W., 235
Wu, J.-T., 131

Xu, N., 119

Zeng, H., 131
Zhang, X., 153
Zhen, Y., 119

doi:10.1016/S1387-3806(04)00478-6

ELSEVIER

International Journal of Mass Spectrometry 238 (2004) 301–303

International Journal of Mass Spectrometry

www.elsevier.com/locate/ijms

Subject index Volume 238

Ab initio calculation
Ab initio study of the isomerization and photodissociation of the $C_3H_6O^{+\bullet}$ cation radicals, 1
ADME screening
Generic approach to high throughput ADME screening for lead candidate optimization, 107
Affinity selection–mass spectrometry
An affinity selection–mass spectrometry method for the identification of small molecule ligands from self-encoded combinatorial libraries. Discovery of a novel antagonist of *E. coli* dihydrofolate reductase, 77
Affinity tags
An integrated strategy for the discovery of drug targets by the analysis of protein–protein interactions, 119
Anionic polymerization
Probing chain-end functionalization reactions in living anionic polymerization via matrix-assisted laser desorption ionization time-of-flight mass spectrometry, 245
Array detectors
Recent advances in detector-array technology for mass spectrometry, 33

Bioanalysis
Effective strategies for the development of specific, sensitive and rapid multiple-component assays for cassette dosing pharmacokinetic screening, 131
Biomarkers
Differential expression profiling of serum proteins and metabolites for biomarker discovery, 163
Brain tissue
Quantitative bioanalysis: an integrated approach for drug discovery and development, 139

C_{60}
Coincidental emission of molecular ions from keV carbon cluster impacts, 59
Cassette dosing
Effective strategies for the development of specific, sensitive and rapid multiple-component assays for cassette dosing pharmacokinetic screening, 131
Chemisorption
Chemical properties of mass-selected coinage metal cluster anions: towards obtaining molecular-level understanding of nanocatalysis, 17
$C_3H_6O^{+\bullet}$ cation radical
Ab initio study of the isomerization and photodissociation of the $C_3H_6O^{+\bullet}$ cation radicals, 1
Cluster projectiles
Coincidental emission of molecular ions from keV carbon cluster impacts, 59
Collision induced dissociation
Translational spectroscopy of N^+ produced by collision induced dissociation of N_2^+ on He and Ar, 55
Collision-induced dissociation
Characterisation of poly(alkyl methacrylate)s by means of electrospray ionisation–tandem mass spectrometry (ESI–MS/MS), 265
Column-switching
Quantitative bioanalysis: an integrated approach for drug discovery and development, 139
Combinatorial chemistry
An affinity selection–mass spectrometry method for the identification of small molecule ligands from self-encoded combinatorial libraries. Discovery of a novel antagonist of *E. coli* dihydrofolate reductase, 77
Copolymer
Calibration for determining monomer ratios in copolymers by electrospray ionization mass spectrometry, 207
Coupling methods
Analysis of modified polyamide 6.6 using coupled liquid chromatography and MALDI–TOF–mass spectrometry, 235

Differential proteomics
Differential expression profiling of serum proteins and metabolites for biomarker discovery, 163
Drug discovery
An integrated strategy for the discovery of drug targets by the analysis of protein–protein interactions, 119
High throughput drug discovery with ESI-FTICR, 197
Drug targets
An integrated strategy for the discovery of drug targets by the analysis of protein–protein interactions, 119

Electron impact
Threshold electron impact ionization studies of uracil, 47
Electrospray
Calibration for determining monomer ratios in copolymers by electrospray ionization mass spectrometry, 207
Electrospray ionisation–tandem mass spectrometry
Characterisation of poly(alkyl methacrylate)s by means of electrospray ionisation–tandem mass spectrometry (ESI–MS/MS), 265
End group analysis
Probing chain-end functionalization reactions in living anionic polymerization via matrix-assisted laser desorption ionization time-of-flight mass spectrometry, 245
ESI FTICR mass spectrometry
High throughput drug discovery with ESI-FTICR, 197
ESI-MS/MS
Microstructural and conformational studies of polyether copolymers, 287
Ethoxylated surfactants
MALDI PSD of low molecular weight ethoxylated polymers, 257

Fragmentation
MALDI PSD of low molecular weight ethoxylated polymers, 257
Fragmentation mechanism
Translational spectroscopy of N^+ produced by collision induced dissociation of N_2^+ on He and Ar, 55
FT-ICR
Improved protein identification using automated high mass measurement accuracy MALDI FT-ICR MS peptide mass fingerprinting, 189

doi:10.1016/S1387-3806(04)00479-8

Gas phase
Sequence dependent conformations of glycidyl methacrylate/butyl methacrylate copolymers in the gas phase, 279
Gas-phase reactions
Free electrons, the simplest radicals of them all: chemistry of aqueous electrons as studied by mass spectrometry, 65
Generic methods
Generic approach to high throughput ADME screening for lead candidate optimization, 107
Genetic discovery
MALDI-TOF MS: a platform technology for genetic discovery, 173
Genotyping
MALDI-TOF MS: a platform technology for genetic discovery, 173
Glycidyl methacrylate/butyl methacrylate
Sequence dependent conformations of glycidyl methacrylate/butyl methacrylate copolymers in the gas phase, 279
GPC–MALDI-TOF
A perspective on relative quantitation of a polydisperse polymer using chromatography and mass spectrometry, 227

Hydrated electrons
Free electrons, the simplest radicals of them all: chemistry of aqueous electrons as studied by mass spectrometry, 65

Implant device material
A perspective on relative quantitation of a polydisperse polymer using chromatography and mass spectrometry, 227
Ion fragmentation energies
Translational spectroscopy of N^+ produced by collision induced dissociation of N_2^+ on He and Ar, 55
Ion mobility
Sequence dependent conformations of glycidyl methacrylate/butyl methacrylate copolymers in the gas phase, 279
Microstructural and conformational studies of polyether copolymers, 287
Ionization
Threshold electron impact ionization studies of uracil, 47
Isomerization
Ab initio study of the isomerization and photodissociation of the $C_3H_6O^{+\bullet}$ cation radicals, 1

LC/MS/MS
Effective strategies for the development of specific, sensitive and rapid multiple-component assays for cassette dosing pharmacokinetic screening, 131
Lead candidate optimization
Generic approach to high throughput ADME screening for lead candidate optimization, 107
Liquid chromatography
Quantitative bioanalysis: an integrated approach for drug discovery and development, 139
Analysis of modified polyamide 6.6 using coupled liquid chromatography and MALDI–TOF–mass spectrometry, 235
Liquid chromatography-mass spectrometry
Differential expression profiling of serum proteins and metabolites for biomarker discovery, 163

MALDI
Improved protein identification using automated high mass measurement accuracy MALDI FT-ICR MS peptide mass fingerprinting, 189
MALDI PSD of low molecular weight ethoxylated polymers, 257
Sequence dependent conformations of glycidyl methacrylate/butyl methacrylate copolymers in the gas phase, 279
MALDI mass spectrometry
Probing chain-end functionalization reactions in living anionic polymerization via matrix-assisted laser desorption ionization time-of-flight mass spectrometry, 245
MALDI-TOF MS
MALDI-TOF MS: a platform technology for genetic discovery, 173
The influence of matrix and laser energy on the molecular mass distribution of synthetic polymers obtained by MALDI-TOF-MS, 215
Analysis of modified polyamide 6.6 using coupled liquid chromatography and MALDI–TOF–mass spectrometry, 235
Mass accuracy
Improved protein identification using automated high mass measurement accuracy MALDI FT-ICR MS peptide mass fingerprinting, 189
Mass spectrometry
Recent advances in detector-array technology for mass spectrometry, 33
SFC/MS in drug discovery at Pfizer, La Jolla, 85
Quantitative bioanalysis: an integrated approach for drug discovery and development, 139
Matrix-assisted laser desorption/ionization
MALDI PSD of low molecular weight ethoxylated polymers, 257
Metal cluster
Chemical properties of mass-selected coinage metal cluster anions: towards obtaining molecular-level understanding of nanocatalysis, 17
Molecular mass distribution
The influence of matrix and laser energy on the molecular mass distribution of synthetic polymers obtained by MALDI-TOF-MS, 215
Monomer ratio
Calibration for determining monomer ratios in copolymers by electrospray ionization mass spectrometry, 207
MS/MS
An integrated strategy for the discovery of drug targets by the analysis of protein–protein interactions, 119
Multidimensional chromatography
An affinity selection–mass spectrometry method for the identification of small molecule ligands from self-encoded combinatorial libraries. Discovery of a novel antagonist of *E. coli* dihydrofolate reductase, 77
Multi-ion emission
Coincidental emission of molecular ions from keV carbon cluster impacts, 59
Multiple detectors
Recent advances in detector-array technology for mass spectrometry, 33
Multiple-component assays
Effective strategies for the development of specific, sensitive and rapid multiple-component assays for cassette dosing pharmacokinetic screening, 131

N_2^+
Translational spectroscopy of N^+ produced by collision induced dissociation of N_2^+ on He and Ar, 55
Nanodroplets
Free electrons, the simplest radicals of them all: chemistry of aqueous electrons as studied by mass spectrometry, 65
Noncovalent complexes
High throughput drug discovery with ESI-FTICR, 197

Oligomer
Microstructural and conformational studies of polyether copolymers, 287
Oxygen
Chemical properties of mass-selected coinage metal cluster anions: towards obtaining molecular-level understanding of nanocatalysis, 17

Peptide
SFC/MS in drug discovery at Pfizer, La Jolla, 85
Peptide mass fingerprinting
Improved protein identification using automated high mass measurement accuracy MALDI FT-ICR MS peptide mass fingerprinting, 189
Phosphatase
Using mass spectrometry to study the photo-affinity labeling of protein tyrosine phosphatase 1B, 99

Photo-affinity
Using mass spectrometry to study the photo-affinity labeling of protein tyrosine phosphatase 1B, 99
Photodissociation
Ab initio study of the isomerization and photodissociation of the $C_3H_6O^{+\bullet}$ cation radicals, 1
Photoelectron spectroscopy
Chemical properties of mass-selected coinage metal cluster anions: towards obtaining molecular-level understanding of nanocatalysis, 17
Photoionization
SFC/MS in drug discovery at Pfizer, La Jolla, 85
Photoprobe
Using mass spectrometry to study the photo-affinity labeling of protein tyrosine phosphatase 1B, 99
Plasma
Quantitative bioanalysis: an integrated approach for drug discovery and development, 139
Poly(alkyl methacrylate)
Characterisation of poly(alkyl methacrylate)s by means of electrospray ionisation–tandem mass spectrometry (ESI–MS/MS), 265
Poly(*n*-butyl methacrylate)
Characterisation of poly(alkyl methacrylate)s by means of electrospray ionisation–tandem mass spectrometry (ESI–MS/MS), 265
Polyatomic projectiles
Coincidental emission of molecular ions from keV carbon cluster impacts, 59
Polymers
Probing chain-end functionalization reactions in living anionic polymerization via matrix-assisted laser desorption ionization time-of-flight mass spectrometry, 245
Post-source decay
MALDI PSD of low molecular weight ethoxylated polymers, 257
Protein interactions
An integrated strategy for the discovery of drug targets by the analysis of protein–protein interactions, 119
PSD
MALDI PSD of low molecular weight ethoxylated polymers, 257

Quantification
Differential expression profiling of serum proteins and metabolites for biomarker discovery, 163
Quantitation
Quantitative bioanalysis: an integrated approach for drug discovery and development, 139
Probing chain-end functionalization reactions in living anionic polymerization via matrix-assisted laser desorption ionization time-of-flight mass spectrometry, 245
Quantitative polymer analysis
A perspective on relative quantitation of a polydisperse polymer using chromatography and mass spectrometry, 227

Radical ions
Free electrons, the simplest radicals of them all: chemistry of aqueous electrons as studied by mass spectrometry, 65
RNA
High throughput drug discovery with ESI-FTICR, 197

Secondary ion emission
Coincidental emission of molecular ions from keV carbon cluster impacts, 59
Simultaneous detection
Recent advances in detector-array technology for mass spectrometry, 33
Solvated electrons
Free electrons, the simplest radicals of them all: chemistry of aqueous electrons as studied by mass spectrometry, 65
Supercritical fluid
SFC/MS in drug discovery at Pfizer, La Jolla, 85
Surfynol^{R} surfactants
MALDI PSD of low molecular weight ethoxylated polymers, 257
Synthetic polymers
The influence of matrix and laser energy on the molecular mass distribution of synthetic polymers obtained by MALDI-TOF-MS, 215

Threshold
Threshold electron impact ionization studies of uracil, 47
Time-of-flight mass spectrometry
MALDI PSD of low molecular weight ethoxylated polymers, 257
TOFMS
MALDI PSD of low molecular weight ethoxylated polymers, 257
Translational energy spectroscopy
Translational spectroscopy of N^+ produced by collision induced dissociation of N_2^+ on He and Ar, 55
Turbulent flow chromatography
Generic approach to high throughput ADME screening for lead candidate optimization, 107
Quantitative bioanalysis: an integrated approach for drug discovery and development, 139

Uracil
Threshold electron impact ionization studies of uracil, 47
UV curable PDMS
A perspective on relative quantitation of a polydisperse polymer using chromatography and mass spectrometry, 227

Whole genome association study
MALDI-TOF MS: a platform technology for genetic discovery, 173